

## STRUT BARS



20051

## CONTROL ARM BUSHINGS



SLEEVE FOR 20071

20070




20071

BUSHING FITS MOST STRUT CARS THAT USE RUBBER BUSHING LOWERS


## SOLID ROD END

- RH THREAD
- 3/4" SOLID ROD END



RER12

## BALLAST BRACKETS



## CAGE GUSSETS



AA021A

ROUND TUBE	
1 1/4"	WMB125
1 1/2"	WMB150
1 5/8"	WMB1625
1 3/4"	WMB175
2"	WMB200

## SWEET POWER STEERING BOX

SQUARE TUBE	
1 1/2"	WMB150S
2"	WMB200S



6:1 BOX WITH 3/4-30 UJOINT	206-06185
8:1 BOX WITH 3/4-30 UJOINT	206-08185
6:1 BOX WITH 13/16 UJOINT	208-06185
8:1 BOX WITH 13/16 UJOINT	208-08185

## BATTERY BOXES

- LIGHTWEIGHT STEEL CONSTRUCTION
- 9 1/2" OR 11"
- SIDE BOLTS PIVOT TO ACCOMMODATE DIFFERENT BATTERY SIZES





WELD ON BATTERY BOX (11")	CB200
BOLT ON BATTERY BOX	CB200B

1-800-328-3618

# LOU FEGERS RACING EQUIPMENT

## CHEVY MOTOR MOUNTS



STEEL  
80651  
ALUM  
80653

FRONT

FEGERS, RAYBURN W/ENGINE MOVED 1" TO RIGHT	80661
FEGERS MOD & SUPER, DIRT WORKS, BULLITT, OTHERS W/ENGINE 2" RIGHT	80666

## OFFSET CHEVY MOTOR MOUNTS



- MOVES ENGINE BACK 2" OR 3 5/8"
- ALLOWS V6 CHEVY TO FIT V8 MOUNTS

80650



STEEL  
80652

REAR

- PLATED STEEL OR ANODIZED ALUMINUM

## STEERING QUICKENER



2:1 QUICK STEER	5224
1.5:1 QUICK STEER	5225

## FORD MOTOR MOUNTS



80658

REAR



FRONT

80659

- PLATED STEEL
- FITS SMALL BLOCK FORD

1-800-328-3618

## KRC POWER STEERING PUMPS W/TANKS



50010-000



50020-100



91312-000

## PS PARTS



91500-000



50010-000

## PS RESERVOIR




91515-000

**ECONOMY STYLE RESERVOIR FEATURES:**

- VENTED CAP
- INTERNAL BAFFLE
- BUILT IN FIREWALL MOUNT
- LW ALUM CONSTRUCTION
- AN STYLE FITTINGS INSTALLED

C <small>AST IRON</small> P <small>OWER STEERING</small> P <small>UMP</small>	50010-000
C <small>AST IRON</small> P <small>UMP W/4.2" SERPENTINE PULLEY</small>	50020-000
P <small>ULLEY ONLY</small>	50100-000
B <small>RACKET (CAN SUB. FOR PS3000)</small>	PS300
P <small>OWER STEERING TANK AND BRKT</small>	91500-000
B <small>RACKET ONLY</small>	91501-000
B <small>LOCK MOUNT BRACKET &amp; HRDW KIT</small>	PS3000
S <small>ERVO LIGHT</small>	301-30250
S <small>ERVO MEDIUM</small>	301-30275

## POWER STEERING BRACKETS



C <small>CHEVY</small> B <small>BOLTS TO HEAD</small>	PS300
C <small>CHEVY</small> B <small>BOLTS TO BLOCK</small>	PS3000
F <small>FORD V8</small> B <small>BOLTS TO HEAD</small>	KRC31621-000

1-800-328-3618

# LOU FEGERS RACING EQUIPMENT

## KRC ALUM POWER STEERING PUMP & PULLEY KITS



- TRACK TESTED AND PROVEN TO SAVE HORSEPOWER
- REDUCES VEHICLE WEIGHT- WEIGHS ONLY 3.2LBS
- LIGHTEST COMPETITION PUMP AVAIL-ABLE
- RUNS SMOOTH AND PREVENTS FLUID AERATION

ALUM PUMP W/6" V BELT PULLEY	20000-000
ALUM PUMP W/6" V BELT PULLEY AND TANK	20000-100
ALUM PUMP W/4.2" SERPENTINE PULLEY	20002-000
ALUM PUMP W/4.2" SERP. PULLEY AND TANK	20002-100
BLOCK MOUNT BRACKET FOR ALUM. PUMP	30012
SERP PULLEY KIT W/15% RED, BLOCK MOUNT	38411-000
SERP PULLEY KIT 1:1, BLOCK MOUNT	38421-000
CRANK PULLEY SPACER	40115-000

## KRC POSITIVE DRIVE POWER STEERING PUMPS



P/S PUMP, 3/8" HEX DRIVE W/O FUEL PUMP	19502-000
P/S PUMP, 17 SPLINE DRIVE W/O FUEL PUMP	19512-000
ADAPTER, HEX PUMP TO PETERSEN DRY SUMP	19551-000
ADAPTER, 17 SPLINE PUMP TO SCP DRY SUMP	19555-000
DRIVE SPUD, 17 SPLINE FEMALE TO 3/8" MALE	19570-000
17 SPLINE DRIVE SPUD REMOVAL TOOL	19575-000
SEAL KIT FOR 17 SPLINED ADAPTER KITS	19580-000
DRIVE SPUD, 3/8" HEX FEMALE TO 1/2" MALE	19670-000
ADAPTER SEAL KIT FOR FUEL PUMP DRIVE REAR COVER	19680-000
P/S PUMP, HEX DRIVE W/FUEL PUMP DRIVE	19602-000
P/S PUMP, 17 SPLINE DRIVE W/FUEL PUMP DRIVE	19612-000
P/S PUMP, 40 TOOTH HTD PULLEY W/FUEL PUMP DRIVE	19702-000
BERT/BRINN BELLHOUSING MOUNTING BRACKET	19750-000

## PS HOSE & FITTINGS



#6 PS HOSE	185-06
#10 PS HOSE	185-10

FITTING #6 STRAIGHT PS	185-0106P
FITTING #6 45° PS	185-4506P
FITTING #6 90° PS	185-9006P
FITTING #10 STRAIGHT PS	185-0110P
FITTING #10 45° PS	185-4510P
FITTING #10 90° PS	185-9010P

## GM POWER STEERING FITTINGS

W/O-RING



'82 & UP BOX

SMALL	185005
LARGE	185006



UPTO '81

SMALL	185002
LARGE	185003



LATE GM PS PUMP

OUTLET	37130
--------	-------



LATE GM PS PUMP

RETURN	37131
--------	-------

1-800-328-3618

## STEERING U-JOINTS



Made specifically for racing, these U-joints are heat treated and contain forged yokes and cross members, screw locked needle bearings, and sealed grease rings. The splined U-joints feature a set screw and locknut. These are the best U-joints you can buy.



3/4"	SMOOTH BOTH ENDS	401-50606
3/4"-48	SWEET R&P, APPLETON MANUAL	401-50610
3/4"-36	GM STD, PINTO PS, STEER QUICKENER	401-50612
13/16"-36	EARLY GM (THRU 76) POWER STEER	401-50611
9/16"-26	PINTO/MUSTANG II MANUAL	401-50613
3/4"-30	LATE GM PS (77 & UP), APPLETON PS	401-50615
5/8"-36	VEGA MANUAL	401-50607
1"-48X3/4-36	STREET ROD/OEM	401-51218
1"-DDX3/4"-36	STREET ROD	401-51220




3/4"-48	SWEET R&P	301-30100
13/16"-36	EARLY GM PS	301-30110
3/4"-36	GM STD PS	301-30120

## STEERING WHEELS

QUICK CAR ALUMINUM STEERING WHEELS AVAILABLE IN 15" AND 17" SIZES. HIGH QUALITY STEERING WHEELS ARE THE SMOOTH STYLE. ALSO AVAILABLE WITH FINGER GRIPS OR IN STEEL.




15" ALUM	68-001
17" ALUM	68-002



•6" DIAMETER  
•2" THICK

BLACK	00001
RED	00002
BLUE	00003

## QUICK RELEASE HUBS



PUSH-TYPE  
QUICK  
RELEASE  
270-2316

SQUEEZE-TYPE  
QUICK  
RELEASE  
68-015

## KIRKEY HUB PAD

## SUPPORT BEARINGS



WM102



30321

## STEERING COLUMN

- 3/4" STEERING COLUMN MATERIAL
- SOLD BY THE FOOT
- .120 WALL DOM TUBING

750

## OVERSIZED ROD END



This rod end is made to eliminate the headache of steering shaft installation.

STEEL	EMR12-757
ALUM	AMR12-757

## R&P MOUNT



R2106

Pressed 1/8" steel, two-piece unit is designed to be welded in place

## STEERING SHAFT MOUNT



30380


Mount is made of sturdy 12 gauge steel so shaft is firmly supported.

1-800-328-3618


## RACK AND PINION STEERING

### SWEET RACK & PINIONS

18 1/4" WITH INTEGRATED 220 SERVO 005-93343-220  
 ROCKET WIDE FRONT DOUBLE EYE RACK 005-93847-220



RACK BOOT	001-21040
LONG HOSE	302-32101
SHORT HOSE	302-32102
BUSHING- RACK	001-21140
SERVO SEAL KIT	311-30040
SLAVE CYLINDER	301-30061
SLAVE CYLINDER SEAL KIT	301-30066



APPLETON 3.4" POWER RACK TAPERED	7012460
APPLETON 3.4" POWER RACK DRILLED	7012470
APPLETON 3.4" POWER RACK THREADED	7012480

BOOT- POWER RACK	6000600
HOSE KIT	7012820
LINE SET-STEEL	7010740
FITTING 90°	101120
RACK-ALL	202060
BUSHING- RACK	301140
SERVO SEAL KIT	7010720
SERVO- 2" (8T) MEDIUM	7010120
SERVO- 3.4" (13T) LIGHT	7010100
SERVO- 2 1/2" (10T) MEDIUM	7010130
SLAVE CYLINDER	7010000
SLAVE CYLINDER SEAL KIT	7010710
MOUNT W/BOLTS- SLAVE TO RACK	101080/7010730


## KRC PS FLUID



- REDUCES FLUID CAVITATION, STEERING SYSTEM HEAT AND POWER STEERING NOISE
- FORMULATED FOR HEAVY DUTY LOAD CONDITIONS
- NON-CORROSIVE
- NON-FOAMING
- MAINTAIN COOLER TEMPERATURE

10032-000

## KSE PS FLUID




- DESIGNED TO HANDLE THE STRESS OF RACING POWER STEERING
- HIGHER VELOCITY
- ANTI-FOAMING
- ANTI-WEAR
- ANTI-OXIDATION
- 1 QT

KSM1086

1-800-328-3618

# LOU FEGERS RACING EQUIPMENT



## 76-96 IMPALA

1	OUTER TIE ROD	ES2019RL
2	INNER TIE ROD	ES2020RL
3	ADJUSTER SLEEVE	ES2004S
4	CENTER LINK	DS899
5	IDLER ARM	K6187

## 68-72 CHEVELLE

1	OUTER TIE ROD	ES2033RL
2	INNER TIE ROD	ES2034RL
3	ADJUSTER SLEEVE	ES2032S
4	CENTER LINK	DS749
5	IDLER ARM	K5143


## 71-80 CAMARO

1	OUTER TIE ROD	ES441RL
2	RH INNER TIE ROD	ES443L
2	LH INNER TIE ROD	ES442L
3	ADJUSTER SLEEVE	ES2004S
4	CENTER LINK	DS829
5	IDLER ARM	K6186

## 78-88 CHEVELLE


1	OUTER TIE ROD	ES2033RL
2	INNER TIE ROD	ES2034RL
3	ADJUSTER SLEEVE	ES2032S
4	CENTER LINK	DS909
5	IDLER ARM	K6187

## INNER TIE ROD ENDS



RH THREAD 30201

7 1/4"



RH THREAD ES323R  
LH THREAD ES323L

4"

## OUT-PACE TIE ROD ENDS



TIE ROD ASSEMBLY WITH CHROMOLY ENDS 5/8"				
	BENT RH	BENT LH	STRAIGHT RH	STRAIGHT LH
10"	55-810-BR-M	55-810-BL-M	55-510-SR-M	55-510-SL-M
11"	55-811-BR-M	55-811-BL-M	55-511-SR-M	55-511-SL-M
12"	55-812-BR-M	55-812-BL-M	55-512-SR-M	55-512-SL-M
15"	55-815-BR-M	55-815-BL-M	55-515-SR-M	55-512-SL-M

1-800-328-3618